idealair
group

Ezifit thru roof exhaust fan with abs plastic cowl

ECEP152T
ECEP152M
ECEP154T
ECEP154M
ECEP156T
ECEP156M
ECEP204T
ECEP204M

EZIFIT THRU ROOF EXHAUST FAN WITH ABS PLASTIC COWL

Overview

The Ezifit Thru Roof exhaust fans are easy to install and provide powerful airflow with low noise output. These units feature a removable cowl assembly with an IEC connector on the power lead to assist with installation and maintenance.



Metal/Deck Roof Version

Tile Version

Dimensional Data

ITEM CODE	DIMENSIONS (mm)					WEIGHT (kg)
	A	B	C	D	EØ	
ECEP152T / M	139	133	745	290	150	5
ECEP154T / M	139	133	745	290	150	5
ECEP156T / M	139	133	745	290	150	5
ECEP204T / M	195	194	790	443	200	10

T=Tile roof, M=Metal/Deck roof

Performance Data



Technical Data

ITEM CODE	SPEED (rev/min)	MAX AIRFLOW (l/s) @ free field	NOISE dBA @ 3m	AMPS
ECEP152T / M	2520	120	43	0.27
ECEP154T / M	1980	90	38	0.25
ECEP156T / M	1140	70	25	0.22
ECEP204T / M	1380	290	40	0.38

T=Tile roof, M=Metal/Deck roof